


## AS568A Dash No. O-Ring Sizing Chart



O-rings provide a reliable seal in static and dynamic applications. They're used for sealing cylinders, valves, faucets, flanges, compressors, engines, and straight thread tube fittings.

| AS568A Dash No.                                | Fractional Size, ID x OD | Actual Size, ID x OD |
|--|--------------------------|----------------------|
| <b>Width: 1/32" Fractional (0.040" Actual)</b> |                          |                      |
| 001  | 1/32" x 3/32"            | 0.029" x 0.109"      |
| 001 1/2  | 1/16" x 1/8"             | 0.070" x 0.150"      |
| <b>Width: 3/64" Fractional (0.050" Actual)</b> |                          |                      |
| 002  | 3/64" x 9/64"            | 0.042" x 0.142"      |
| <b>Width: 1/16" Fractional (0.070" Actual)</b> |                          |                      |
| 003  | 1/16" x 3/16"            | 0.056" x 0.176"      |
| 004  | 5/64" x 13/64"           | 0.070" x 0.210"      |
| 005  | 7/64" x 15/64"           | 0.101" x 0.241"      |
| 006  | 1/8" x 1/4"              | 0.114" x 0.254"      |
| 007  | 5/32" x 9/32"            | 0.145" x 0.285"      |
| 008  | 3/16" x 5/16"            | 0.176" x 0.316"      |
| 009  | 7/32" x 11/32"           | 0.208" x 0.348"      |
| 010  | 1/4" x 3/8"              | 0.239" x 0.379"      |
| 011  | 5/16" x 7/16"            | 0.301" x 0.441"      |
| 012  | 3/8" x 1/2"              | 0.364" x 0.504"      |
| 013  | 7/16" x 9/16"            | 0.426" x 0.566"      |
| 014  | 1/2" x 5/8"              | 0.489" x 0.629"      |
| 015  | 9/16" x 11/16"           | 0.551" x 0.691"      |
| 016  | 5/8" x 3/4"              | 0.614" x 0.754"      |
| 017  | 11/16" x 13/16"          | 0.676" x 0.816"      |
| 018  | 3/4" x 7/8"              | 0.739" x 0.879"      |
| 019  | 13/16" x 15/16"          | 0.801" x 0.941"      |
| 020  | 7/8" x 1"                | 0.864" x 1.004"      |
| 021  | 15/16" x 11/16"          | 0.926" x 1.066"      |
| 022  | 1" x 1 1/8"              | 0.989" x 1.129"      |
| 023  | 1 1/16" x 1 3/16"        | 1.051" x 1.191"      |
| 024  | 1 1/8" x 1 1/4"          | 1.114" x 1.254"      |

| AS568A Dash No.  | Fractional Size, ID x OD | Actual Size, ID x OD |
|--|--------------------------|----------------------|
| <b>Width: 1/16" Fractional (0.070" Actual) (Cont.)</b> |                          |                      |
| 025  | 1 3/16" x 1 5/16"        | 1.176" x 1.316"      |
| 026  | 1 1/4" x 1 3/8"          | 1.239" x 1.379"      |
| 027  | 1 5/16" x 1 7/16"        | 1.301" x 1.441"      |
| 028  | 1 3/8" x 1 1/2"          | 1.364" x 1.504"      |
| 029  | 1 1/2" x 1 5/8"          | 1.489" x 1.629"      |
| 030  | 1 5/8" x 1 3/4"          | 1.614" x 1.754"      |
| 031  | 1 3/4" x 1 7/8"          | 1.739" x 1.879"      |
| 032  | 1 7/8" x 2"              | 1.864" x 2.004"      |
| 033  | 2" x 2 1/8"              | 1.989" x 2.129"      |
| 034  | 2 1/8" x 2 1/4"          | 2.114" x 2.254"      |
| 035  | 2 1/4" x 2 3/8"          | 2.239" x 2.379"      |
| 036  | 2 3/8" x 2 1/2"          | 2.364" x 2.504"      |
| 037  | 2 1/2" x 2 5/8"          | 2.489" x 2.629"      |
| 038  | 2 5/8" x 2 3/4"          | 2.614" x 2.754"      |
| 039  | 2 3/4" x 2 7/8"          | 2.739" x 2.879"      |
| 040  | 2 7/8" x 3"              | 2.864" x 3.004"      |
| 041  | 3" x 3 1/8"              | 2.989" x 3.129"      |
| 042  | 3 1/4" x 3 3/8"          | 3.239" x 3.379"      |
| 043  | 3 1/2" x 3 5/8"          | 3.489" x 3.629"      |
| 044  | 3 3/4" x 3 7/8"          | 3.739" x 3.879"      |
| 045  | 4" x 4 1/8"              | 3.989" x 4.129"      |
| 046  | 4 1/4" x 4 3/8"          | 4.239" x 4.379"      |
| 047  | 4 1/2" x 4 5/8"          | 4.489" x 4.629"      |
| 048  | 4 3/4" x 4 7/8"          | 4.739" x 4.879"      |
| 049  | 5" x 5 1/8"              | 4.989" x 5.129"      |
| 050  | 5 1/4" x 5 3/8"          | 5.239" x 5.379"      |
| 051  | 5 1/2" x 5 5/8"          | 5.489" x 5.629"      |
| 052  | 5 3/4" x 5 7/8"          | 5.739" x 5.879"      |

| AS568A Dash No.  | Fractional Size, ID x OD | Actual Size, ID x OD |
|--|--------------------------|----------------------|
| <b>Width: 1/16" Fractional (0.070" Actual) (Cont.)</b> |                          |                      |
| 053  | 6" x 6 1/8"              | 5.989" x 6.129"      |
| 054  | 6 1/4" x 6 3/8"          | 6.239" x 6.379"      |
| 055  | 6 1/2" x 6 5/8"          | 6.489" x 6.629"      |
| <b>Width: 3/32" Fractional (0.103" Actual)</b>         |                          |                      |
| 102  | 1/16" x 1/4"             | 0.049" x 0.255"      |
| 103  | 3/32" x 9/32"            | 0.081" x 0.287"      |
| 104  | 1/8" x 5/16"             | 0.112" x 0.318"      |
| 105  | 5/32" x 11/32"           | 0.143" x 0.349"      |
| 106  | 3/16" x 3/8"             | 0.174" x 0.380"      |
| 107  | 7/32" x 13/32"           | 0.206" x 0.412"      |
| 108  | 1/4" x 7/16"             | 0.237" x 0.443"      |
| 109  | 5/16" x 1/2"             | 0.299" x 0.505"      |
| 110  | 3/8" x 9/16"             | 0.362" x 0.568"      |
| 111  | 7/16" x 5/8"             | 0.424" x 0.630"      |
| 112  | 1/2" x 1 1/16"           | 0.487" x 0.693"      |
| 113  | 9/16" x 3/4"             | 0.549" x 0.755"      |
| 114  | 5/8" x 13/16"            | 0.612" x 0.818"      |
| 115  | 1 1/16" x 7/8"           | 0.674" x 0.880"      |
| 116  | 3/4" x 15/16"            | 0.737" x 0.943"      |
| 117  | 13/16" x 1"              | 0.799" x 1.005"      |
| 118  | 7/8" x 1 1/16"           | 0.862" x 1.068"      |
| 119  | 15/16" x 1 1/8"          | 0.924" x 1.130"      |
| 120  | 1" x 1 3/16"             | 0.987" x 1.193"      |
| 121  | 1 1/16" x 1 1/4"         | 1.049" x 1.255"      |
| 122  | 1 1/8" x 1 5/16"         | 1.112" x 1.318"      |
| 123  | 1 3/16" x 1 3/8"         | 1.174" x 1.380"      |
| 124  | 1 1/4" x 1 7/16"         | 1.237" x 1.443"      |
| 125  | 1 5/16" x 1 1/2"         | 1.299" x 1.505"      |

## AS568A Dash No. O-Ring Sizing Chart (Cont.)

| AS568A Dash No.   | Fractional Size, ID x OD                | Actual Size, ID x OD |
|---|---|----------------------|
| <b>Width: <math>\frac{3}{32}</math>" Fractional (0.103" Actual) (Cont.)</b> |   |                      |
| 126   | 1 $\frac{3}{8}$ " x 1 $\frac{9}{16}$ "  | 1.362" x 1.568"      |
| 127   | 1 $\frac{7}{16}$ " x 1 $\frac{5}{8}$ "  | 1.424" x 1.630"      |
| 128   | 1 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ "   | 1.487" x 1.693"      |
| 129   | 1 $\frac{9}{16}$ " x 1 $\frac{3}{4}$ "  | 1.549" x 1.755"      |
| 130   | 1 $\frac{5}{8}$ " x 1 $\frac{3}{8}$ "   | 1.612" x 1.818"      |
| 131   | 1 $\frac{1}{16}$ " x 1 $\frac{7}{8}$ "  | 1.674" x 1.880"      |
| 132   | 1 $\frac{3}{4}$ " x 1 $\frac{5}{16}$ "  | 1.737" x 1.943"      |
| 133   | 1 $\frac{9}{16}$ " x 2"                 | 1.799" x 2.005"      |
| 134   | 1 $\frac{7}{8}$ " x 2 $\frac{1}{16}$ "  | 1.862" x 2.068"      |
| 135   | 1 $\frac{5}{16}$ " x 2 $\frac{1}{8}$ "  | 1.925" x 2.131"      |
| 136   | 2" x 2 $\frac{3}{16}$ "                 | 1.987" x 2.193"      |
| 137   | 2 $\frac{1}{16}$ " x 2 $\frac{1}{4}$ "  | 2.050" x 2.256"      |
| 138   | 2 $\frac{1}{8}$ " x 2 $\frac{5}{16}$ "  | 2.112" x 2.318"      |
| 139   | 2 $\frac{3}{16}$ " x 2 $\frac{3}{8}$ "  | 2.175" x 2.381"      |
| 140   | 2 $\frac{1}{4}$ " x 2 $\frac{7}{16}$ "  | 2.237" x 2.443"      |
| 141   | 2 $\frac{5}{16}$ " x 2 $\frac{1}{2}$ "  | 2.300" x 2.506"      |
| 142   | 2 $\frac{3}{8}$ " x 2 $\frac{9}{16}$ "  | 2.362" x 2.568"      |
| 143   | 2 $\frac{7}{16}$ " x 2 $\frac{5}{8}$ "  | 2.425" x 2.631"      |
| 144   | 2 $\frac{1}{2}$ " x 2 $\frac{1}{16}$ "  | 2.487" x 2.693"      |
| 145   | 2 $\frac{9}{16}$ " x 2 $\frac{3}{4}$ "  | 2.550" x 2.756"      |
| 146   | 2 $\frac{5}{8}$ " x 2 $\frac{13}{16}$ " | 2.612" x 2.818"      |
| 147   | 2 $\frac{1}{16}$ " x 2 $\frac{7}{8}$ "  | 2.675" x 2.881"      |
| 148   | 2 $\frac{3}{4}$ " x 2 $\frac{15}{16}$ " | 2.737" x 2.943"      |
| 149   | 2 $\frac{9}{16}$ " x 3"                 | 2.800" x 3.006"      |
| 150   | 2 $\frac{7}{8}$ " x 3 $\frac{1}{16}$ "  | 2.862" x 3.068"      |
| 151   | 3" x 3 $\frac{1}{16}$ "                 | 2.987" x 3.193"      |
| 152   | 3 $\frac{1}{4}$ " x 3 $\frac{7}{16}$ "  | 3.237" x 3.443"      |
| 153   | 3 $\frac{1}{2}$ " x 3 $\frac{1}{16}$ "  | 3.487" x 3.693"      |
| 154   | 3 $\frac{3}{4}$ " x 3 $\frac{5}{16}$ "  | 3.737" x 3.943"      |
| 155   | 4" x 4 $\frac{3}{16}$ "                 | 3.987" x 4.193"      |

| AS568A Dash No.   | Fractional Size, ID x OD                | Actual Size, ID x OD |
|---|---|----------------------|
| <b>Width: <math>\frac{3}{32}</math>" Fractional (0.103" Actual) (Cont.)</b> |   |                      |
| 156   | 4 $\frac{1}{4}$ " x 4 $\frac{7}{16}$ "  | 4.237" x 4.443"      |
| 157   | 4 $\frac{1}{2}$ " x 4 $\frac{1}{16}$ "  | 4.487" x 4.693"      |
| 158   | 4 $\frac{3}{4}$ " x 4 $\frac{15}{16}$ " | 4.737" x 4.943"      |
| 159   | 5" x 5 $\frac{1}{16}$ "                 | 4.987" x 5.193"      |
| 160   | 5 $\frac{1}{4}$ " x 5 $\frac{7}{16}$ "  | 5.237" x 5.443"      |
| 161   | 5 $\frac{1}{2}$ " x 5 $\frac{1}{16}$ "  | 5.487" x 4.443"      |
| 162   | 5 $\frac{3}{4}$ " x 5 $\frac{5}{16}$ "  | 5.737" x 5.943"      |
| 163   | 6" x 6 $\frac{1}{16}$ "                 | 5.987" x 6.193"      |
| 164   | 6 $\frac{1}{4}$ " x 6 $\frac{7}{16}$ "  | 6.237" x 6.443"      |
| 165   | 6 $\frac{1}{2}$ " x 6 $\frac{1}{16}$ "  | 6.487" x 6.693"      |
| 166   | 6 $\frac{3}{4}$ " x 6 $\frac{5}{16}$ "  | 6.737" x 6.943"      |
| 167   | 7" x 7 $\frac{1}{16}$ "                 | 6.987" x 7.193"      |
| 168   | 7 $\frac{1}{4}$ " x 7 $\frac{7}{16}$ "  | 7.237" x 7.443"      |
| 169   | 7 $\frac{1}{2}$ " x 7 $\frac{1}{16}$ "  | 7.487" x 7.693"      |
| 170   | 7 $\frac{3}{4}$ " x 7 $\frac{5}{16}$ "  | 7.737" x 7.943"      |
| 171   | 8" x 8 $\frac{1}{16}$ "                 | 7.987" x 8.193"      |
| 172   | 8 $\frac{1}{4}$ " x 8 $\frac{7}{16}$ "  | 8.237" x 8.443"      |
| 173   | 8 $\frac{1}{2}$ " x 8 $\frac{1}{16}$ "  | 8.487" x 8.693"      |
| 174   | 8 $\frac{3}{4}$ " x 8 $\frac{5}{16}$ "  | 8.737" x 8.943"      |
| 175   | 9" x 9 $\frac{1}{16}$ "                 | 8.987" x 9.193"      |
| 176   | 9 $\frac{1}{4}$ " x 9 $\frac{7}{16}$ "  | 9.237" x 9.443"      |
| 177   | 9 $\frac{1}{2}$ " x 9 $\frac{1}{16}$ "  | 9.487" x 9.693"      |
| 178   | 9 $\frac{3}{4}$ " x 9 $\frac{5}{16}$ "  | 9.737" x 9.943"      |
| <b>Width: <math>\frac{1}{8}</math>" Fractional (0.139" Actual)</b>          |   |                      |
| 201   | 3 $\frac{1}{16}$ " x 7 $\frac{1}{16}$ " | 0.171" x 0.449"      |
| 202   | 1 $\frac{1}{4}$ " x 1 $\frac{1}{2}$ "   | 0.234" x 0.512"      |
| 203   | 5 $\frac{1}{16}$ " x 9 $\frac{1}{16}$ " | 0.296" x 0.574"      |
| 204   | 3 $\frac{1}{8}$ " x 5 $\frac{1}{8}$ "   | 0.359" x 0.637"      |
| 205   | 7 $\frac{1}{16}$ " x 1 $\frac{1}{16}$ " | 0.421" x 0.699"      |
| 206   | 1 $\frac{1}{2}$ " x 3 $\frac{1}{4}$ "   | 0.484" x 0.762"      |

| AS568A Dash No.  | Fractional Size, ID x OD                 | Actual Size, ID x OD |
|--|--|----------------------|
| <b>Width: <math>\frac{1}{8}</math>" Fractional (0.139" Actual) (Cont.)</b> |  |                      |
| 207  | 9 $\frac{1}{16}$ " x 1 $\frac{3}{16}$ "  | 0.546" x 0.824"      |
| 208  | 5 $\frac{1}{8}$ " x 7 $\frac{1}{8}$ "    | 0.609" x 0.887"      |
| 209  | 1 $\frac{1}{4}$ " x 1 $\frac{5}{16}$ "   | 0.671" x 0.949"      |
| 210  | 3 $\frac{1}{4}$ " x 1"                   | 0.734" x 1.012"      |
| 211  | 1 $\frac{3}{16}$ " x 1 $\frac{1}{16}$ "  | 0.796" x 1.074"      |
| 212  | 7 $\frac{1}{8}$ " x 1 $\frac{1}{8}$ "    | 0.859" x 1.137"      |
| 213  | 1 $\frac{5}{16}$ " x 1 $\frac{3}{16}$ "  | 0.921" x 1.199"      |
| 214  | 1" x 1 $\frac{1}{4}$ "                   | 0.984" x 1.262"      |
| 215  | 1 $\frac{1}{16}$ " x 1 $\frac{5}{16}$ "  | 1.046" x 1.324"      |
| 216  | 1 $\frac{1}{8}$ " x 1 $\frac{3}{8}$ "    | 1.109" x 1.387"      |
| 217  | 1 $\frac{3}{16}$ " x 1 $\frac{7}{16}$ "  | 1.171" x 1.449"      |
| 218  | 1 $\frac{1}{4}$ " x 1 $\frac{1}{2}$ "    | 1.234" x 1.512"      |
| 219  | 1 $\frac{5}{16}$ " x 1 $\frac{9}{16}$ "  | 1.296" x 1.574"      |
| 220  | 1 $\frac{3}{8}$ " x 1 $\frac{5}{8}$ "    | 1.359" x 1.637"      |
| 221  | 1 $\frac{7}{16}$ " x 1 $\frac{11}{16}$ " | 1.421" x 1.699"      |
| 222  | 1 $\frac{1}{2}$ " x 1 $\frac{3}{4}$ "    | 1.484" x 1.762"      |
| 223  | 1 $\frac{5}{8}$ " x 1 $\frac{7}{8}$ "    | 1.609" x 1.887"      |
| 224  | 1 $\frac{3}{4}$ " x 2"                   | 1.734" x 2.012"      |
| 225  | 1 $\frac{7}{8}$ " x 2 $\frac{1}{8}$ "    | 1.859" x 2.137"      |
| 226  | 2" x 2 $\frac{1}{4}$ "                   | 1.984" x 2.262"      |
| 227  | 2 $\frac{1}{8}$ " x 2 $\frac{3}{8}$ "    | 2.109" x 2.387"      |
| 228  | 2 $\frac{1}{4}$ " x 2 $\frac{1}{2}$ "    | 2.234" x 2.512"      |
| 229  | 2 $\frac{3}{8}$ " x 2 $\frac{5}{8}$ "    | 2.359" x 2.637"      |
| 230  | 2 $\frac{1}{2}$ " x 2 $\frac{3}{4}$ "    | 2.484" x 2.762"      |
| 231  | 2 $\frac{5}{8}$ " x 2 $\frac{7}{8}$ "    | 2.609" x 2.887"      |
| 232  | 2 $\frac{3}{4}$ " x 3"                   | 2.734" x 3.012"      |
| 233  | 2 $\frac{7}{8}$ " x 3 $\frac{1}{8}$ "    | 2.859" x 3.137"      |
| 234  | 3" x 3 $\frac{1}{4}$ "                   | 2.984" x 3.262"      |
| 235  | 3 $\frac{1}{8}$ " x 3 $\frac{3}{8}$ "    | 3.109" x 3.387"      |
| 236  | 3 $\frac{1}{4}$ " x 3 $\frac{1}{2}$ "    | 3.234" x 3.512"      |

## AS568A Dash No. O-Ring Sizing Chart (Cont.)

| AS568A Dash No.                                       | Fractional Size, ID x OD | Actual Size, ID x OD |
|---|--------------------------|----------------------|
| <b>Width: 1/8" Fractional (0.139" Actual) (Cont.)</b> |                          |                      |
| 237   | 3 3/8" x 3 5/8"          | 3.359" x 3.637"      |
| 238   | 3 1/2" x 3 3/4"          | 3.484" x 3.762"      |
| 239   | 3 5/8" x 3 7/8"          | 3.609" x 3.887"      |
| 240   | 3 3/4" x 4"              | 3.734" x 4.012"      |
| 241   | 3 7/8" x 4 1/8"          | 3.859" x 4.137"      |
| 242   | 4" x 4 1/4"              | 3.984" x 4.262"      |
| 243   | 4 1/8" x 4 3/8"          | 4.109" x 4.387"      |
| 244   | 4 1/4" x 4 1/2"          | 4.234" x 4.512"      |
| 245   | 4 3/8" x 4 5/8"          | 4.359" x 4.637"      |
| 246   | 4 1/2" x 4 3/4"          | 4.484" x 4.762"      |
| 247   | 4 5/8" x 4 7/8"          | 4.609" x 4.887"      |
| 248   | 4 3/4" x 5"              | 4.734" x 5.012"      |
| 249   | 4 7/8" x 5 1/8"          | 4.859" x 5.137"      |
| 250   | 5" x 5 1/4"              | 4.984" x 5.262"      |
| 251   | 5 1/8" x 5 3/8"          | 5.109" x 5.387"      |
| 252   | 5 1/4" x 5 1/2"          | 5.234" x 5.512"      |
| 253   | 5 3/8" x 5 5/8"          | 5.359" x 5.637"      |
| 254   | 5 1/2" x 5 3/4"          | 5.484" x 5.762"      |
| 255   | 5 5/8" x 5 7/8"          | 5.609" x 5.887"      |
| 256   | 5 3/4" x 6"              | 5.734" x 6.012"      |
| 257   | 5 7/8" x 6 1/8"          | 5.859" x 6.137"      |
| 258   | 6" x 6 1/4"              | 5.984" x 6.262"      |
| 259   | 6 1/4" x 6 1/2"          | 6.234" x 6.512"      |
| 260   | 6 1/2" x 6 3/4"          | 6.484" x 6.762"      |
| 261   | 6 3/4" x 7"              | 6.734" x 7.012"      |
| 262   | 7" x 7 1/4"              | 6.984" x 7.262"      |
| 263   | 7 1/4" x 7 1/2"          | 7.234" x 7.512"      |
| 264   | 7 1/2" x 7 3/4"          | 7.484" x 7.762"      |
| 265   | 7 3/4" x 8"              | 7.734" x 8.012"      |
| 266   | 8" x 8 1/4"              | 7.984" x 8.262"      |

| AS568A Dash No.                                       | Fractional Size, ID x OD | Actual Size, ID x OD |
|---|--------------------------|----------------------|
| <b>Width: 1/8" Fractional (0.139" Actual) (Cont.)</b> |                          |                      |
| 267   | 8 1/4" x 8 1/2"          | 8.234" x 8.512"      |
| 268   | 8 1/2" x 8 3/4"          | 8.484" x 8.762"      |
| 269   | 8 3/4" x 9"              | 8.734" x 9.012"      |
| 270   | 9" x 9 1/4"              | 8.984" x 9.262"      |
| 271   | 9 1/4" x 9 1/2"          | 9.234" x 9.512"      |
| 272   | 9 1/2" x 9 3/4"          | 9.484" x 9.762"      |
| 273   | 9 3/4" x 10"             | 9.734" x 10.012"     |
| 274   | 10" x 10 1/4"            | 9.984" x 10.262"     |
| 275   | 10 1/2" x 10 3/4"        | 10.484" x 10.762"    |
| 276   | 11" x 11 1/4"            | 10.984" x 11.262"    |
| 277   | 11 1/2" x 11 3/4"        | 11.484" x 11.762"    |
| 278   | 12" x 12 1/4"            | 11.984" x 12.262"    |
| 279   | 13" x 13 1/4"            | 12.984" x 13.262"    |
| 280   | 14" x 14 1/4"            | 13.984" x 14.262"    |
| 281   | 15" x 15 1/4"            | 14.984" x 15.262"    |
| 282   | 16" x 16 1/4"            | 15.955" x 16.233"    |
| 283   | 17" x 17 1/4"            | 16.955" x 17.233"    |
| 284   | 18" x 18 1/4"            | 17.955" x 18.233"    |
| <b>Width: 3/16" Fractional (0.210" Actual)</b>        |                          |                      |
| 309   | 7/16" x 1 3/16"          | 0.412" x 0.832"      |
| 310   | 1/2" x 7/8"              | 0.475" x 0.895"      |
| 311   | 9/16" x 1 5/16"          | 0.537" x 0.957"      |
| 312   | 5/8" x 1"                | 0.600" x 1.020"      |
| 313   | 1 1/16" x 1 1/8"         | 0.662" x 1.082"      |
| 314   | 3/4" x 1 1/8"            | 0.725" x 1.145"      |
| 315   | 1 3/16" x 1 3/8"         | 0.787" x 1.207"      |
| 316   | 7/8" x 1 1/4"            | 0.850" x 1.270"      |
| 317   | 1 5/16" x 1 5/8"         | 0.912" x 1.332"      |
| 318   | 1" x 1 3/8"              | 0.975" x 1.395"      |
| 319   | 1 1/16" x 1 7/8"         | 1.037" x 1.457"      |

| AS568A Dash No.  | Fractional Size, ID x OD | Actual Size, ID x OD |
|--|--------------------------|----------------------|
| <b>Width: 3/16" Fractional (0.210" Actual) (Cont.)</b> |                          |                      |
| 320  | 1 1/8" x 1 1/2"          | 1.100" x 1.520"      |
| 321  | 1 3/16" x 1 9/16"        | 1.162" x 1.582"      |
| 322  | 1 1/4" x 1 5/8"          | 1.225" x 1.645"      |
| 323  | 1 5/16" x 1 11/16"       | 1.287" x 1.707"      |
| 324  | 1 3/8" x 1 3/4"          | 1.350" x 1.770"      |
| 325  | 1 1/2" x 1 7/8"          | 1.475" x 1.895"      |
| 326  | 1 5/8" x 2"              | 1.600" x 2.020"      |
| 327  | 1 3/4" x 2 1/8"          | 1.725" x 2.145"      |
| 328  | 1 7/8" x 2 1/4"          | 1.850" x 2.270"      |
| 329  | 2" x 2 3/8"              | 1.975" x 2.395"      |
| 330  | 2 1/8" x 2 1/2"          | 2.100" x 2.520"      |
| 331  | 2 1/4" x 2 5/8"          | 2.225" x 2.645"      |
| 332  | 2 3/8" x 2 3/4"          | 2.350" x 2.770"      |
| 333  | 2 1/2" x 2 7/8"          | 2.475" x 2.895"      |
| 334  | 2 5/8" x 3"              | 2.600" x 3.020"      |
| 335  | 2 3/4" x 3 1/8"          | 2.725" x 3.145"      |
| 336  | 2 7/8" x 3 1/4"          | 2.850" x 3.270"      |
| 337  | 3" x 3 3/8"              | 2.975" x 3.395"      |
| 338  | 3 1/8" x 3 1/2"          | 3.100" x 3.520"      |
| 339  | 3 1/4" x 3 5/8"          | 3.225" x 3.645"      |
| 340  | 3 3/8" x 3 3/4"          | 3.350" x 3.770"      |
| 341  | 3 1/2" x 3 7/8"          | 3.475" x 3.895"      |
| 342  | 3 5/8" x 4"              | 3.600" x 4.020"      |
| 343  | 3 3/4" x 4 1/8"          | 3.725" x 4.145"      |
| 344  | 3 7/8" x 4 1/4"          | 3.850" x 4.270"      |
| 345  | 4" x 4 3/8"              | 3.975" x 4.395"      |
| 346  | 4 1/8" x 4 1/2"          | 4.100" x 4.520"      |
| 347  | 4 1/4" x 4 5/8"          | 4.225" x 4.645"      |
| 348  | 4 3/8" x 4 3/4"          | 4.350" x 4.770"      |
| 349  | 4 1/2" x 4 7/8"          | 4.475" x 4.895"      |

## AS568A Dash No. O-Ring Sizing Chart (Cont.)

| AS568A Dash No.  | Fractional Size, ID x OD | Actual Size, ID x OD |
|--|--------------------------|----------------------|
| <b>Width: 3/16" Fractional (0.210" Actual) (Cont.)</b> |                          |                      |
| 350  | 4 5/8" x 5"              | 4.600" x 5.020"      |
| 351  | 4 3/4" x 5 1/8"          | 4.725" x 5.145"      |
| 352  | 4 7/8" x 5 1/4"          | 4.850" x 5.270"      |
| 353  | 5" x 5 3/8"              | 4.975" x 5.395"      |
| 354  | 5 1/8" x 5 1/2"          | 5.100" x 5.520"      |
| 355  | 5 1/4" x 5 5/8"          | 5.225" x 5.645"      |
| 356  | 5 3/8" x 5 3/4"          | 5.350" x 5.770"      |
| 357  | 5 1/2" x 5 7/8"          | 5.475" x 5.895"      |
| 358  | 5 5/8" x 6"              | 5.600" x 6.020"      |
| 359  | 5 3/4" x 6 1/8"          | 5.725" x 6.145"      |
| 360  | 5 7/8" x 6 1/4"          | 5.850" x 6.270"      |
| 361  | 6" x 6 3/8"              | 5.975" x 6.395"      |
| 362  | 6 1/4" x 6 5/8"          | 6.225" x 6.645"      |
| 363  | 6 1/2" x 6 7/8"          | 6.475" x 6.895"      |
| 364  | 6 3/4" x 7 1/8"          | 6.725" x 7.145"      |
| 365  | 7" x 7 3/8"              | 6.975" x 7.395"      |
| 366  | 7 1/4" x 7 5/8"          | 7.225" x 7.645"      |
| 367  | 7 1/2" x 7 7/8"          | 7.475" x 7.895"      |
| 368  | 7 3/4" x 8 1/8"          | 7.725" x 8.145"      |
| 369  | 8" x 8 3/8"              | 7.975" x 8.395"      |
| 370  | 8 1/4" x 8 5/8"          | 8.225" x 8.645"      |
| 371  | 8 1/2" x 8 7/8"          | 8.475" x 8.895"      |
| 372  | 8 3/4" x 9 1/8"          | 8.725" x 9.145"      |
| 373  | 9" x 9 3/8"              | 8.975" x 9.395"      |
| 374  | 9 1/4" x 9 5/8"          | 9.225" x 9.645"      |
| 375  | 9 1/2" x 9 7/8"          | 9.475" x 9.895"      |
| 376  | 9 3/4" x 10 1/8"         | 9.725" x 10.145"     |
| 377  | 10" x 10 3/8"            | 9.975" x 10.395"     |
| 378  | 10 1/2" x 10 7/8"        | 10.475" x 10.895"    |
| 379  | 11" x 11 3/8"            | 10.975" x 11.395"    |

| AS568A Dash No.  | Fractional Size, ID x OD | Actual Size, ID x OD |
|--|--------------------------|----------------------|
| <b>Width: 3/16" Fractional (0.210" Actual) (Cont.)</b> |                          |                      |
| 380  | 11 1/2" x 11 7/8"        | 11.475" x 11.895"    |
| 381  | 12" x 12 3/8"            | 11.975" x 12.395"    |
| 382  | 13" x 13 3/8"            | 12.975" x 13.395"    |
| 383  | 14" x 14 3/8"            | 13.975" x 14.395"    |
| 384  | 15" x 15 3/8"            | 14.975" x 15.395"    |
| 385  | 16" x 16 3/8"            | 15.955" x 16.375"    |
| 386  | 17" x 17 3/8"            | 16.955" x 17.375"    |
| 387  | 18" x 18 3/8"            | 17.955" x 18.375"    |
| 388  | 19" x 19 3/8"            | 18.955" x 19.375"    |
| 389  | 20" x 20 3/8"            | 19.955" x 20.375"    |
| 390  | 21" x 21 3/8"            | 20.955" x 21.375"    |
| 391  | 22" x 22 3/8"            | 21.955" x 22.375"    |
| 392  | 23" x 23 3/8"            | 22.940" x 23.360"    |
| 393  | 24" x 24 3/8"            | 23.940" x 24.360"    |
| 394  | 25" x 25 3/8"            | 24.940" x 25.360"    |
| 395  | 26" x 26 3/8"            | 25.940" x 26.360"    |
| <b>Width: 1/4" Fractional (0.275" Actual)</b>          |                          |                      |
| 404  | 1 7/8" x 2 3/8"          | 1.850" x 2.400"      |
| 405  | 2" x 2 1/2"              | 1.975" x 2.525"      |
| 406  | 2 1/8" x 2 5/8"          | 2.100" x 2.650"      |
| 407  | 2 1/4" x 2 3/4"          | 2.225" x 2.775"      |
| 408  | 2 3/8" x 2 7/8"          | 2.350" x 2.900"      |
| 409  | 2 1/2" x 3"              | 2.475" x 3.025"      |
| 410  | 2 5/8" x 3 1/8"          | 2.600" x 3.150"      |
| 411  | 2 3/4" x 3 1/4"          | 2.725" x 3.275"      |
| 412  | 2 7/8" x 3 3/8"          | 2.850" x 3.400"      |
| 413  | 3" x 3 1/2"              | 2.975" x 3.525"      |
| 414  | 3 1/8" x 3 5/8"          | 3.100" x 3.650"      |
| 415  | 3 1/4" x 3 3/4"          | 3.225" x 3.775"      |
| 416  | 3 3/8" x 3 7/8"          | 3.350" x 3.900"      |

| AS568A Dash No.                                       | Fractional Size, ID x OD | Actual Size, ID x OD |
|---|--------------------------|----------------------|
| <b>Width: 1/4" Fractional (0.275" Actual) (Cont.)</b> |                          |                      |
| 417   | 3 1/2" x 4"              | 3.475" x 4.025"      |
| 418   | 3 5/8" x 4 1/8"          | 3.600" x 4.150"      |
| 419   | 3 3/4" x 4 1/4"          | 3.725" x 4.275"      |
| 420   | 3 7/8" x 4 3/8"          | 3.850" x 4.400"      |
| 421   | 4" x 4 1/2"              | 3.975" x 4.525"      |
| 422   | 4 1/8" x 4 5/8"          | 4.100" x 4.650"      |
| 423   | 4 1/4" x 4 3/4"          | 4.225" x 4.775"      |
| 424   | 4 3/8" x 4 7/8"          | 4.350" x 4.900"      |
| 425   | 4 1/2" x 5"              | 4.475" x 5.025"      |
| 426   | 4 5/8" x 5 1/8"          | 4.600" x 5.150"      |
| 427   | 4 3/4" x 5 1/4"          | 4.725" x 5.275"      |
| 428   | 4 7/8" x 5 3/8"          | 4.850" x 5.400"      |
| 429   | 5" x 5 1/2"              | 4.975" x 5.525"      |
| 430   | 5 1/8" x 5 5/8"          | 5.100" x 5.650"      |
| 431   | 5 1/4" x 5 3/4"          | 5.225" x 5.775"      |
| 432   | 5 3/8" x 5 7/8"          | 5.350" x 5.900"      |
| 433   | 5 1/2" x 6"              | 5.475" x 6.025"      |
| 434   | 5 5/8" x 6 1/8"          | 5.600" x 6.150"      |
| 435   | 5 3/4" x 6 1/4"          | 5.725" x 6.275"      |
| 436   | 5 7/8" x 6 3/8"          | 5.850" x 6.400"      |
| 437   | 6" x 6 1/2"              | 5.975" x 6.525"      |
| 438   | 6 1/4" x 6 3/4"          | 6.225" x 6.775"      |
| 439   | 6 1/2" x 7"              | 6.475" x 7.025"      |
| 440   | 6 3/4" x 7 1/4"          | 6.725" x 7.275"      |
| 441   | 7" x 7 1/2"              | 6.975" x 7.525"      |
| 442   | 7 1/4" x 7 3/4"          | 7.225" x 7.775"      |
| 443   | 7 1/2" x 8"              | 7.475" x 8.025"      |
| 444   | 7 3/4" x 8 1/4"          | 7.725" x 8.275"      |
| 445   | 8" x 8 1/2"              | 7.975" x 8.525"      |
| 446   | 8 1/2" x 9"              | 8.475" x 9.025"      |

## AS568A Dash No. O-Ring Sizing Chart (Cont.)

| AS568A Dash No.                                       | Fractional Size, ID×OD | Actual Size, ID×OD |
|---|------------------------|--------------------|
| <b>Width: 1/4" Fractional (0.275" Actual) (Cont.)</b> |                        |                    |
| 447   | 9" × 9 1/2"            | 8.975" × 9.525"    |
| 448   | 9 1/2" × 10"           | 9.475" × 10.025"   |
| 449   | 10" × 10 1/2"          | 9.975" × 10.525"   |
| 450   | 10 1/2" × 11"          | 10.475" × 11.025"  |
| 451   | 11" × 11 1/2"          | 10.975" × 11.525"  |
| 452   | 11 1/2" × 12"          | 11.475" × 12.025"  |
| 453   | 12" × 12 1/2"          | 11.975" × 12.525"  |
| 454   | 12 1/2" × 13"          | 12.475" × 13.025"  |
| 455   | 13" × 13 1/2"          | 12.975" × 13.525"  |
| 456   | 13 1/2" × 14"          | 13.475" × 14.025"  |
| 457   | 14" × 14 1/2"          | 13.975" × 14.525"  |
| 458   | 14 1/2" × 15"          | 14.475" × 15.025"  |
| 459   | 15" × 15 1/2"          | 14.975" × 15.525"  |
| 460   | 15 1/2" × 16"          | 15.475" × 16.025"  |
| 461   | 16" × 16 1/2"          | 15.975" × 16.525"  |
| 462   | 16 1/2" × 17"          | 16.475" × 17.025"  |
| 463   | 17" × 17 1/2"          | 16.975" × 17.525"  |
| 464   | 17 1/2" × 18"          | 17.475" × 18.025"  |
| 465   | 18" × 18 1/2"          | 17.975" × 18.525"  |
| 466   | 18 1/2" × 19"          | 18.475" × 19.025"  |
| 467   | 19" × 19 1/2"          | 18.975" × 19.525"  |
| 468   | 19 1/2" × 20"          | 19.475" × 20.025"  |
| 469   | 20" × 20 1/2"          | 19.975" × 20.525"  |
| 470   | 21" × 21 1/2"          | 20.475" × 21.025"  |
| 471   | 22" × 22 1/2"          | 20.975" × 21.525"  |
| 472   | 23" × 23 1/2"          | 21.475" × 22.025"  |
| 473   | 24" × 24 1/2"          | 21.975" × 22.525"  |
| 474   | 25" × 25 1/2"          | 22.475" × 23.025"  |
| 475   | 26" × 26 1/2"          | 22.975" × 23.525"  |

| AS568A Dash No.                          | Fits Tube Size OD | Actual Size, ID×OD |
|--|-------------------|--------------------|
| <b>For Straight Thread Tube Fittings</b> |                   |                    |
| <b>0.056" Wide</b>                       |                   |                    |
| 901                                      | 3/32"             | 0.185" × 0.297"    |
| <b>0.064" Wide</b>                       |                   |                    |
| 902                                      | 1/8"              | 0.239" × 0.367"    |
| 903                                      | 3/16"             | 0.301" × 0.429"    |
| <b>0.072" Wide</b>                       |                   |                    |
| 904                                      | 1/4"              | 0.351" × 0.495"    |
| 905                                      | 5/16"             | 0.414" × 0.558"    |
| <b>0.078" Wide</b>                       |                   |                    |
| 906                                      | 3/8"              | 0.468" × 0.624"    |
| <b>0.082" Wide</b>                       |                   |                    |
| 907                                      | 7/16"             | 0.530" × 0.694"    |
| <b>0.087" Wide</b>                       |                   |                    |
| 908                                      | 1/2"              | 0.644" × 0.818"    |
| <b>0.097" Wide</b>                       |                   |                    |
| 909                                      | 9/16"             | 0.706" × 0.900"    |
| 910                                      | 5/8"              | 0.755" × 0.949"    |
| <b>0.116" Wide</b>                       |                   |                    |
| 911                                      | 11/16"            | 0.863" × 1.095"    |
| 912                                      | 3/4"              | 0.924" × 1.156"    |
| 913                                      | 13/16"            | 0.986" × 1.218"    |
| 914                                      | 7/8"              | 1.047" × 1.279"    |
| 916                                      | 1"                | 1.171" × 1.403"    |
| 918                                      | 1 1/8"            | 1.355" × 1.587"    |
| <b>0.118" Wide</b>                       |                   |                    |
| 920                                      | 1 1/4"            | 1.475" × 1.711"    |
| 924                                      | 1 1/2"            | 1.720" × 1.956"    |
| 928                                      | 1 3/4"            | 2.090" × 2.326"    |
| 932                                      | 2"                | 2.337" × 2.573"    |