

Apeks ID	BS (in brackets for Metric)	Cross Section	Inner diam.
AP1157	003	1/16	1/16
AP6403	004	1/16	5/64
AP1299	006	1/16	1/8
AP1564	006	2.9mm	1.78mm
AP1282	007		
AP1154	010	1/16	1/4
AP1409	011	1/16	5/16
AP1445	012	1/16	3/8
	012	1/16	3/8
AP1410	013	1/16	7/16
AP1159	014	1/16	1/2
AP1267	015	1/16	9/16
AP1298	017		
AP4089	018		
AP1438	019	1/16	13/16
AP1420	024		
AP1420	024	1/16	1-1/8
AP1166	111	3/32	7/16
	112	3/32	1/2
AP1405	113		
AP1505	114		
AP1628	115		

Sheet1

AP1456	117			
AP1418	118			
AP1277	119			
AP7502	610			
AP1300	15x1.5 (0151-16)	1.5mm	15mm	
AP5711	2.5x1 (607)	1mm	2.5mm	
	204	1/8	3/8	
AP1278	213/214?			
	214	1/8		1
AP2041	2x1 (606)	1mm	2mm	

SCUBA Application Seal

High-Pressure Hose/SPG swivel	
High-Pressure Hose/SPG swivel (less common)	2mm x 1.78mm
Apeks HP seat (1st stage)	3mm x 1.78mm
Power Inflator spindle (Polyurethane)	70 Shore
	4mm x 1.78mm
Low-Pressure Hose/2nd Stage Regulator	
Cylinder Valve Stem	
Apeks crown (2nd stage)	6mm x 1.78mm
Standard Low-Pressure Port/Hose (3/8 UNF)	
Apeks adjusting screw (2nd stage)	
Apeks conical filter (1st Stage)	
Apeks FSR HP crown (1st stage)	
Power Inflator quick disconnect oring	7.6mm x 1.78mm
High-Pressure Port/Hose (7/16 UNF)	
Manifold and Manifold Port Plugs	9.5mm x 1.78mm
Power Inflator cylinder inner oring (Buna)	
Large Low-Pressure Port/Hose (1/2 UNF)	
Apeks balance plug inner (1st stage)	11mm x 1.78mm
Standard Yoke Regulator/K-valve	
Apeks ATX adjuster screw (2nd stage)	12.5mm x 1.78mm
Apeks value spindle (2nd stage)	
Cylinder Valve Bonnet Nut	14mm x 1.78mm
	17.4mm 1.78mm
	19mm x 1.78mm
Apeks Venturi (2nd stage)	
Apeks turret bolt (1st stage)	20.5mm x 1.78mm
	28mm x 1.78mm
Apeks Turret (1st stage)	
Apeks DIN Regulator/Valve	
Apeks Yoke spare (2nd stage)	
Note:Yoke valves often use BS112 or BS014	11mm x 2.62mm
Power Inflator cylinder outer oring (Buna)	
	14mm x 2.62mm
	15.5mm x 2.62mm
	17.4mm x 2.62mm

Sheet1

20.5mm x 2.62mm

22mm x 2.62mm

23.5mm x 2.62mm

70 Shore

Apeks HP balance plug outer (1st stage)

BS 15.1mm x 1.6mm

Apeks ATX adjuster screw nib (2nd stage)

BS 2.8mm x 1.02mm

Power Inflator oral inflate oring (Buna)

23.5mm x 3.53mm

Cylinder with Large Neck/Valve

(3/4 NPS - All Aluminum, most Steel cylinders)

Apeks shuttle valve (2nd stage)

BS 2mm x 1.02mm