


AS568A Dash No. O-Ring Sizing Chart



O-rings provide a reliable seal in static and dynamic applications. They're used for sealing cylinders, valves, faucets, flanges, compressors, engines, and straight thread tube fittings.

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: 1/32" Fractional (0.040" Actual)		
001	1/32" x 3/32"	0.029" x 0.109"
001 1/2	1/16" x 1/8"	0.070" x 0.150"
Width: 3/64" Fractional (0.050" Actual)		
002	3/64" x 9/64"	0.042" x 0.142"
Width: 1/16" Fractional (0.070" Actual)		
003	1/16" x 3/16"	0.056" x 0.176"
004	5/64" x 13/64"	0.070" x 0.210"
005	7/64" x 15/64"	0.101" x 0.241"
006	1/8" x 1/4"	0.114" x 0.254"
007	5/32" x 9/32"	0.145" x 0.285"
008	3/16" x 5/16"	0.176" x 0.316"
009	7/32" x 11/32"	0.208" x 0.348"
010	1/4" x 3/8"	0.239" x 0.379"
011	5/16" x 7/16"	0.301" x 0.441"
012	3/8" x 1/2"	0.364" x 0.504"
013	7/16" x 9/16"	0.426" x 0.566"
014	1/2" x 5/8"	0.489" x 0.629"
015	9/16" x 11/16"	0.551" x 0.691"
016	5/8" x 3/4"	0.614" x 0.754"
017	11/16" x 13/16"	0.676" x 0.816"
018	3/4" x 7/8"	0.739" x 0.879"
019	13/16" x 15/16"	0.801" x 0.941"
020	7/8" x 1"	0.864" x 1.004"
021	15/16" x 1 1/16"	0.926" x 1.066"
022	1" x 1 1/8"	0.989" x 1.129"
023	1 1/16" x 1 3/16"	1.051" x 1.191"
024	1 1/8" x 1 1/4"	1.114" x 1.254"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: 1/16" Fractional (0.070" Actual) (Cont.)		
025	1 3/16" x 1 5/16"	1.176" x 1.316"
026	1 1/4" x 1 3/8"	1.239" x 1.379"
027	1 5/16" x 1 7/16"	1.301" x 1.441"
028	1 3/8" x 1 1/2"	1.364" x 1.504"
029	1 1/2" x 1 5/8"	1.489" x 1.629"
030	1 5/8" x 1 3/4"	1.614" x 1.754"
031	1 3/4" x 1 7/8"	1.739" x 1.879"
032	1 7/8" x 2"	1.864" x 2.004"
033	2" x 2 1/8"	1.989" x 2.129"
034	2 1/8" x 2 1/4"	2.114" x 2.254"
035	2 1/4" x 2 3/8"	2.239" x 2.379"
036	2 3/8" x 2 1/2"	2.364" x 2.504"
037	2 1/2" x 2 5/8"	2.489" x 2.629"
038	2 5/8" x 2 3/4"	2.614" x 2.754"
039	2 3/4" x 2 7/8"	2.739" x 2.879"
040	2 7/8" x 3"	2.864" x 3.004"
041	3" x 3 1/8"	2.989" x 3.129"
042	3 1/4" x 3 3/8"	3.239" x 3.379"
043	3 1/2" x 3 5/8"	3.489" x 3.629"
044	3 3/4" x 3 7/8"	3.739" x 3.879"
045	4" x 4 1/8"	3.989" x 4.129"
046	4 1/4" x 4 3/8"	4.239" x 4.379"
047	4 1/2" x 4 5/8"	4.489" x 4.629"
048	4 3/4" x 4 7/8"	4.739" x 4.879"
049	5" x 5 1/8"	4.989" x 5.129"
050	5 1/4" x 5 3/8"	5.239" x 5.379"
051	5 1/2" x 5 5/8"	5.489" x 5.629"
052	5 3/4" x 5 7/8"	5.739" x 5.879"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: 1/16" Fractional (0.070" Actual) (Cont.)		
053	6" x 6 1/8"	5.989" x 6.129"
054	6 1/4" x 6 3/8"	6.239" x 6.379"
055	6 1/2" x 6 5/8"	6.489" x 6.629"
Width: 3/32" Fractional (0.103" Actual)		
102	1/16" x 1/4"	0.049" x 0.255"
103	3/32" x 9/32"	0.081" x 0.287"
104	1/8" x 5/16"	0.112" x 0.318"
105	5/32" x 11/32"	0.143" x 0.349"
106	3/16" x 3/8"	0.174" x 0.380"
107	7/32" x 13/32"	0.206" x 0.412"
108	1/4" x 7/16"	0.237" x 0.443"
109	5/16" x 1/2"	0.299" x 0.505"
110	3/8" x 9/16"	0.362" x 0.568"
111	7/16" x 5/8"	0.424" x 0.630"
112	1/2" x 11/16"	0.487" x 0.693"
113	9/16" x 3/4"	0.549" x 0.755"
114	5/8" x 13/16"	0.612" x 0.818"
115	11/16" x 7/8"	0.674" x 0.880"
116	3/4" x 15/16"	0.737" x 0.943"
117	13/16" x 1"	0.799" x 1.005"
118	7/8" x 1 1/16"	0.862" x 1.068"
119	15/16" x 1 1/8"	0.924" x 1.130"
120	1" x 1 3/16"	0.987" x 1.193"
121	1 1/16" x 1 1/4"	1.049" x 1.255"
122	1 1/8" x 1 5/16"	1.112" x 1.318"
123	1 3/16" x 1 3/8"	1.174" x 1.380"
124	1 1/4" x 1 7/16"	1.237" x 1.443"
125	1 5/16" x 1 1/2"	1.299" x 1.505"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{3}{32}$ " Fractional (0.103" Actual) (Cont.)		
126	$1\frac{3}{8}" \times 1\frac{9}{16}"$	1.362" x 1.568"
127	$1\frac{7}{16}" \times 1\frac{5}{8}"$	1.424" x 1.630"
128	$1\frac{1}{2}" \times 1\frac{11}{16}"$	1.487" x 1.693"
129	$1\frac{9}{16}" \times 1\frac{3}{4}"$	1.549" x 1.755"
130	$1\frac{5}{8}" \times 1\frac{13}{16}"$	1.612" x 1.818"
131	$1\frac{11}{16}" \times 1\frac{7}{8}"$	1.674" x 1.880"
132	$1\frac{3}{4}" \times 1\frac{15}{16}"$	1.737" x 1.943"
133	$1\frac{9}{16}" \times 2"$	1.799" x 2.005"
134	$1\frac{7}{8}" \times 2\frac{1}{16}"$	1.862" x 2.068"
135	$1\frac{15}{16}" \times 2\frac{1}{8}"$	1.925" x 2.131"
136	$2" \times 2\frac{3}{16}"$	1.987" x 2.193"
137	$2\frac{1}{16}" \times 2\frac{1}{4}"$	2.050" x 2.256"
138	$2\frac{1}{8}" \times 2\frac{5}{16}"$	2.112" x 2.318"
139	$2\frac{3}{16}" \times 2\frac{3}{8}"$	2.175" x 2.381"
140	$2\frac{1}{4}" \times 2\frac{7}{16}"$	2.237" x 2.443"
141	$2\frac{5}{16}" \times 2\frac{1}{2}"$	2.300" x 2.506"
142	$2\frac{3}{8}" \times 2\frac{9}{16}"$	2.362" x 2.568"
143	$2\frac{7}{16}" \times 2\frac{5}{8}"$	2.425" x 2.631"
144	$2\frac{1}{2}" \times 2\frac{11}{16}"$	2.487" x 2.693"
145	$2\frac{9}{16}" \times 2\frac{3}{4}"$	2.550" x 2.756"
146	$2\frac{5}{8}" \times 2\frac{13}{16}"$	2.612" x 2.818"
147	$2\frac{11}{16}" \times 2\frac{7}{8}"$	2.675" x 2.881"
148	$2\frac{3}{4}" \times 2\frac{15}{16}"$	2.737" x 2.943"
149	$2\frac{13}{16}" \times 3"$	2.800" x 3.006"
150	$2\frac{7}{8}" \times 3\frac{1}{16}"$	2.862" x 3.068"
151	$3" \times 3\frac{3}{16}"$	2.987" x 3.193"
152	$3\frac{1}{4}" \times 3\frac{7}{16}"$	3.237" x 3.443"
153	$3\frac{1}{2}" \times 3\frac{11}{16}"$	3.487" x 3.693"
154	$3\frac{3}{4}" \times 3\frac{15}{16}"$	3.737" x 3.943"
155	$4" \times 4\frac{3}{16}"$	3.987" x 4.193"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{3}{32}$ " Fractional (0.103" Actual) (Cont.)		
156	$4\frac{1}{4}" \times 4\frac{7}{16}"$	4.237" x 4.443"
157	$4\frac{1}{2}" \times 4\frac{11}{16}"$	4.487" x 4.693"
158	$4\frac{3}{4}" \times 4\frac{15}{16}"$	4.737" x 4.943"
159	$5" \times 5\frac{3}{16}"$	4.987" x 5.193"
160	$5\frac{1}{4}" \times 5\frac{7}{16}"$	5.237" x 5.443"
161	$5\frac{1}{2}" \times 5\frac{11}{16}"$	5.487" x 5.693"
162	$5\frac{3}{4}" \times 5\frac{15}{16}"$	5.737" x 5.943"
163	$6" \times 6\frac{3}{16}"$	5.987" x 6.193"
164	$6\frac{1}{4}" \times 6\frac{7}{16}"$	6.237" x 6.443"
165	$6\frac{1}{2}" \times 6\frac{11}{16}"$	6.487" x 6.693"
166	$6\frac{3}{4}" \times 6\frac{15}{16}"$	6.737" x 6.943"
167	$7" \times 7\frac{3}{16}"$	6.987" x 7.193"
168	$7\frac{1}{4}" \times 7\frac{7}{16}"$	7.237" x 7.443"
169	$7\frac{1}{2}" \times 7\frac{11}{16}"$	7.487" x 7.693"
170	$7\frac{3}{4}" \times 7\frac{15}{16}"$	7.737" x 7.943"
171	$8" \times 8\frac{3}{16}"$	7.987" x 8.193"
172	$8\frac{1}{4}" \times 8\frac{7}{16}"$	8.237" x 8.443"
173	$8\frac{1}{2}" \times 8\frac{11}{16}"$	8.487" x 8.693"
174	$8\frac{3}{4}" \times 8\frac{15}{16}"$	8.737" x 8.943"
175	$9" \times 9\frac{3}{16}"$	8.987" x 9.193"
176	$9\frac{1}{4}" \times 9\frac{7}{16}"$	9.237" x 9.443"
177	$9\frac{1}{2}" \times 9\frac{11}{16}"$	9.487" x 9.693"
178	$9\frac{3}{4}" \times 9\frac{15}{16}"$	9.737" x 9.943"
Width: $\frac{1}{8}$ " Fractional (0.139" Actual)		
201	$\frac{3}{16}" \times \frac{7}{16}"$	0.171" x 0.449"
202	$\frac{1}{4}" \times \frac{1}{2}"$	0.234" x 0.512"
203	$\frac{5}{16}" \times \frac{9}{16}"$	0.296" x 0.574"
204	$\frac{3}{8}" \times \frac{5}{8}"$	0.359" x 0.637"
205	$\frac{7}{16}" \times \frac{11}{16}"$	0.421" x 0.699"
206	$\frac{1}{2}" \times \frac{3}{4}"$	0.484" x 0.762"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{1}{8}$ " Fractional (0.139" Actual) (Cont.)		
207	$\frac{9}{16}" \times \frac{13}{16}"$	0.546" x 0.824"
208	$\frac{5}{8}" \times \frac{7}{8}"$	0.609" x 0.887"
209	$1\frac{1}{16}" \times 1\frac{5}{16}"$	0.671" x 0.949"
210	$\frac{3}{4}" \times 1"$	0.734" x 1.012"
211	$1\frac{3}{16}" \times 1\frac{1}{16}"$	0.796" x 1.074"
212	$\frac{7}{8}" \times 1\frac{1}{8}"$	0.859" x 1.137"
213	$1\frac{5}{16}" \times 1\frac{3}{16}"$	0.921" x 1.199"
214	$1" \times 1\frac{1}{4}"$	0.984" x 1.262"
215	$1\frac{1}{16}" \times 1\frac{5}{16}"$	1.046" x 1.324"
216	$1\frac{1}{8}" \times 1\frac{3}{8}"$	1.109" x 1.387"
217	$1\frac{3}{16}" \times 1\frac{7}{16}"$	1.171" x 1.449"
218	$1\frac{1}{4}" \times 1\frac{1}{2}"$	1.234" x 1.512"
219	$1\frac{5}{16}" \times 1\frac{9}{16}"$	1.296" x 1.574"
220	$1\frac{3}{8}" \times 1\frac{5}{8}"$	1.359" x 1.637"
221	$1\frac{7}{16}" \times 1\frac{11}{16}"$	1.421" x 1.699"
222	$1\frac{1}{2}" \times 1\frac{3}{4}"$	1.484" x 1.762"
223	$1\frac{5}{8}" \times 1\frac{7}{8}"$	1.609" x 1.887"
224	$1\frac{3}{4}" \times 2"$	1.734" x 2.012"
225	$1\frac{7}{8}" \times 2\frac{1}{8}"$	1.859" x 2.137"
226	$2" \times 2\frac{1}{4}"$	1.984" x 2.262"
227	$2\frac{1}{8}" \times 2\frac{3}{8}"$	2.109" x 2.387"
228	$2\frac{1}{4}" \times 2\frac{1}{2}"$	2.234" x 2.512"
229	$2\frac{3}{8}" \times 2\frac{5}{8}"$	2.359" x 2.637"
230	$2\frac{1}{2}" \times 2\frac{3}{4}"$	2.484" x 2.762"
231	$2\frac{5}{8}" \times 2\frac{7}{8}"$	2.609" x 2.887"
232	$2\frac{3}{4}" \times 3"$	2.734" x 3.012"
233	$2\frac{7}{8}" \times 3\frac{1}{8}"$	2.859" x 3.137"
234	$3" \times 3\frac{1}{4}"$	2.984" x 3.262"
235	$3\frac{1}{8}" \times 3\frac{3}{8}"$	3.109" x 3.387"
236	$3\frac{1}{4}" \times 3\frac{1}{2}"$	3.234" x 3.512"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{1}{8}$ " Fractional (0.139" Actual) (Cont.)		
237	$3\frac{3}{8}" \times 3\frac{5}{8}"$	3.359" x 3.637"
238	$3\frac{1}{2}" \times 3\frac{3}{4}"$	3.484" x 3.762"
239	$3\frac{5}{8}" \times 3\frac{7}{8}"$	3.609" x 3.887"
240	$3\frac{3}{4}" \times 4"$	3.734" x 4.012"
241	$3\frac{7}{8}" \times 4\frac{1}{8}"$	3.859" x 4.137"
242	$4" \times 4\frac{1}{4}"$	3.984" x 4.262"
243	$4\frac{1}{8}" \times 4\frac{3}{8}"$	4.109" x 4.387"
244	$4\frac{1}{4}" \times 4\frac{1}{2}"$	4.234" x 4.512"
245	$4\frac{3}{8}" \times 4\frac{5}{8}"$	4.359" x 4.637"
246	$4\frac{1}{2}" \times 4\frac{3}{4}"$	4.484" x 4.762"
247	$4\frac{5}{8}" \times 4\frac{7}{8}"$	4.609" x 4.887"
248	$4\frac{3}{4}" \times 5"$	4.734" x 5.012"
249	$4\frac{7}{8}" \times 5\frac{1}{8}"$	4.859" x 5.137"
250	$5" \times 5\frac{1}{4}"$	4.984" x 5.262"
251	$5\frac{1}{8}" \times 5\frac{3}{8}"$	5.109" x 5.387"
252	$5\frac{1}{4}" \times 5\frac{1}{2}"$	5.234" x 5.512"
253	$5\frac{3}{8}" \times 5\frac{5}{8}"$	5.359" x 5.637"
254	$5\frac{1}{2}" \times 5\frac{3}{4}"$	5.484" x 5.762"
255	$5\frac{5}{8}" \times 5\frac{7}{8}"$	5.609" x 5.887"
256	$5\frac{3}{4}" \times 6"$	5.734" x 6.012"
257	$5\frac{7}{8}" \times 6\frac{1}{8}"$	5.859" x 6.137"
258	$6" \times 6\frac{1}{4}"$	5.984" x 6.262"
259	$6\frac{1}{4}" \times 6\frac{1}{2}"$	6.234" x 6.512"
260	$6\frac{1}{2}" \times 6\frac{3}{4}"$	6.484" x 6.762"
261	$6\frac{3}{4}" \times 7"$	6.734" x 7.012"
262	$7" \times 7\frac{1}{4}"$	6.984" x 7.262"
263	$7\frac{1}{4}" \times 7\frac{1}{2}"$	7.234" x 7.512"
264	$7\frac{1}{2}" \times 7\frac{3}{4}"$	7.484" x 7.762"
265	$7\frac{3}{4}" \times 8"$	7.734" x 8.012"
266	$8" \times 8\frac{1}{4}"$	7.984" x 8.262"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{1}{8}$ " Fractional (0.139" Actual) (Cont.)		
267	$8\frac{1}{4}" \times 8\frac{1}{2}"$	8.234" x 8.512"
268	$8\frac{1}{2}" \times 8\frac{3}{4}"$	8.484" x 8.762"
269	$8\frac{3}{4}" \times 9"$	8.734" x 9.012"
270	$9" \times 9\frac{1}{4}"$	8.984" x 9.262"
271	$9\frac{1}{4}" \times 9\frac{1}{2}"$	9.234" x 9.512"
272	$9\frac{1}{2}" \times 9\frac{3}{4}"$	9.484" x 9.762"
273	$9\frac{3}{4}" \times 10"$	9.734" x 10.012"
274	$10" \times 10\frac{1}{4}"$	9.984" x 10.262"
275	$10\frac{1}{2}" \times 10\frac{3}{4}"$	10.484" x 10.762"
276	$11" \times 11\frac{1}{4}"$	10.984" x 11.262"
277	$11\frac{1}{2}" \times 11\frac{3}{4}"$	11.484" x 11.762"
278	$12" \times 12\frac{1}{4}"$	11.984" x 12.262"
279	$13" \times 13\frac{1}{4}"$	12.984" x 13.262"
280	$14" \times 14\frac{1}{4}"$	13.984" x 14.262"
281	$15" \times 15\frac{1}{4}"$	14.984" x 15.262"
282	$16" \times 16\frac{1}{4}"$	15.955" x 16.233"
283	$17" \times 17\frac{1}{4}"$	16.955" x 17.233"
284	$18" \times 18\frac{1}{4}"$	17.955" x 18.233"
Width: $\frac{3}{16}$ " Fractional (0.210" Actual)		
309	$\frac{7}{16}" \times 1\frac{3}{16}"$	0.412" x 0.832"
310	$\frac{1}{2}" \times \frac{7}{8}"$	0.475" x 0.895"
311	$\frac{9}{16}" \times 1\frac{5}{16}"$	0.537" x 0.957"
312	$\frac{5}{8}" \times 1"$	0.600" x 1.020"
313	$1\frac{1}{16}" \times 1\frac{1}{16}"$	0.662" x 1.082"
314	$\frac{3}{4}" \times 1\frac{1}{8}"$	0.725" x 1.145"
315	$1\frac{3}{16}" \times 1\frac{3}{16}"$	0.787" x 1.207"
316	$\frac{7}{8}" \times 1\frac{1}{4}"$	0.850" x 1.270"
317	$1\frac{5}{16}" \times 1\frac{5}{16}"$	0.912" x 1.332"
318	$1" \times 1\frac{3}{8}"$	0.975" x 1.395"
319	$1\frac{1}{16}" \times 1\frac{7}{16}"$	1.037" x 1.457"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{3}{16}$ " Fractional (0.210" Actual) (Cont.)		
320	$1\frac{1}{8}" \times 1\frac{1}{2}"$	1.100" x 1.520"
321	$1\frac{3}{16}" \times 1\frac{9}{16}"$	1.162" x 1.582"
322	$1\frac{1}{4}" \times 1\frac{5}{8}"$	1.225" x 1.645"
323	$1\frac{5}{16}" \times 1\frac{11}{16}"$	1.287" x 1.707"
324	$1\frac{3}{8}" \times 1\frac{3}{4}"$	1.350" x 1.770"
325	$1\frac{1}{2}" \times 1\frac{7}{8}"$	1.475" x 1.895"
326	$1\frac{5}{8}" \times 2"$	1.600" x 2.020"
327	$1\frac{3}{4}" \times 2\frac{1}{8}"$	1.725" x 2.145"
328	$1\frac{7}{8}" \times 2\frac{1}{4}"$	1.850" x 2.270"
329	$2" \times 2\frac{3}{8}"$	1.975" x 2.395"
330	$2\frac{1}{8}" \times 2\frac{1}{2}"$	2.100" x 2.520"
331	$2\frac{1}{4}" \times 2\frac{5}{8}"$	2.225" x 2.645"
332	$2\frac{3}{8}" \times 2\frac{3}{4}"$	2.350" x 2.770"
333	$2\frac{1}{2}" \times 2\frac{7}{8}"$	2.475" x 2.895"
334	$2\frac{5}{8}" \times 3"$	2.600" x 3.020"
335	$2\frac{3}{4}" \times 3\frac{1}{8}"$	2.725" x 3.145"
336	$2\frac{7}{8}" \times 3\frac{1}{4}"$	2.850" x 3.270"
337	$3" \times 3\frac{3}{8}"$	2.975" x 3.395"
338	$3\frac{1}{8}" \times 3\frac{1}{2}"$	3.100" x 3.520"
339	$3\frac{1}{4}" \times 3\frac{5}{8}"$	3.225" x 3.645"
340	$3\frac{3}{8}" \times 3\frac{3}{4}"$	3.350" x 3.770"
341	$3\frac{1}{2}" \times 3\frac{7}{8}"$	3.475" x 3.895"
342	$3\frac{5}{8}" \times 4"$	3.600" x 4.020"
343	$3\frac{3}{4}" \times 4\frac{1}{8}"$	3.725" x 4.145"
344	$3\frac{7}{8}" \times 4\frac{1}{4}"$	3.850" x 4.270"
345	$4" \times 4\frac{3}{8}"$	3.975" x 4.395"
346	$4\frac{1}{8}" \times 4\frac{1}{2}"$	4.100" x 4.520"
347	$4\frac{1}{4}" \times 4\frac{5}{8}"$	4.225" x 4.645"
348	$4\frac{3}{8}" \times 4\frac{3}{4}"$	4.350" x 4.770"
349	$4\frac{1}{2}" \times 4\frac{7}{8}"$	4.475" x 4.895"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{3}{16}$ " Fractional (0.210" Actual) (Cont.)		
350	$4\frac{5}{8}" \times 5"$	4.600" x 5.020"
351	$4\frac{3}{4}" \times 5\frac{1}{8}"$	4.725" x 5.145"
352	$4\frac{7}{8}" \times 5\frac{1}{4}"$	4.850" x 5.270"
353	$5" \times 5\frac{3}{8}"$	4.975" x 5.395"
354	$5\frac{1}{8}" \times 5\frac{1}{2}"$	5.100" x 5.520"
355	$5\frac{1}{4}" \times 5\frac{5}{8}"$	5.225" x 5.645"
356	$5\frac{3}{8}" \times 5\frac{3}{4}"$	5.350" x 5.770"
357	$5\frac{1}{2}" \times 5\frac{7}{8}"$	5.475" x 5.895"
358	$5\frac{5}{8}" \times 6"$	5.600" x 6.020"
359	$5\frac{3}{4}" \times 6\frac{1}{8}"$	5.725" x 6.145"
360	$5\frac{7}{8}" \times 6\frac{1}{4}"$	5.850" x 6.270"
361	$6" \times 6\frac{3}{8}"$	5.975" x 6.395"
362	$6\frac{1}{4}" \times 6\frac{5}{8}"$	6.225" x 6.645"
363	$6\frac{1}{2}" \times 6\frac{7}{8}"$	6.475" x 6.895"
364	$6\frac{3}{4}" \times 7\frac{1}{8}"$	6.725" x 7.145"
365	$7" \times 7\frac{3}{8}"$	6.975" x 7.395"
366	$7\frac{1}{4}" \times 7\frac{5}{8}"$	7.225" x 7.645"
367	$7\frac{1}{2}" \times 7\frac{7}{8}"$	7.475" x 7.895"
368	$7\frac{3}{4}" \times 8\frac{1}{8}"$	7.725" x 8.145"
369	$8" \times 8\frac{3}{8}"$	7.975" x 8.395"
370	$8\frac{1}{4}" \times 8\frac{5}{8}"$	8.225" x 8.645"
371	$8\frac{1}{2}" \times 8\frac{7}{8}"$	8.475" x 8.895"
372	$8\frac{3}{4}" \times 9\frac{1}{8}"$	8.725" x 9.145"
373	$9" \times 9\frac{3}{8}"$	8.975" x 9.395"
374	$9\frac{1}{4}" \times 9\frac{5}{8}"$	9.225" x 9.645"
375	$9\frac{1}{2}" \times 9\frac{7}{8}"$	9.475" x 9.895"
376	$9\frac{3}{4}" \times 10\frac{1}{8}"$	9.725" x 10.145"
377	$10" \times 10\frac{3}{8}"$	9.975" x 10.395"
378	$10\frac{1}{2}" \times 10\frac{7}{8}"$	10.475" x 10.895"
379	$11" \times 11\frac{3}{8}"$	10.975" x 11.395"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{3}{16}$ " Fractional (0.210" Actual) (Cont.)		
380	$11\frac{1}{2}" \times 11\frac{7}{8}"$	11.475" x 11.895"
381	$12" \times 12\frac{3}{8}"$	11.975" x 12.395"
382	$13" \times 13\frac{3}{8}"$	12.975" x 13.395"
383	$14" \times 14\frac{3}{8}"$	13.975" x 14.395"
384	$15" \times 15\frac{3}{8}"$	14.975" x 15.395"
385	$16" \times 16\frac{3}{8}"$	15.955" x 16.375"
386	$17" \times 17\frac{3}{8}"$	16.955" x 17.375"
387	$18" \times 18\frac{3}{8}"$	17.955" x 18.375"
388	$19" \times 19\frac{3}{8}"$	18.955" x 19.375"
389	$20" \times 20\frac{3}{8}"$	19.955" x 20.375"
390	$21" \times 21\frac{3}{8}"$	20.955" x 21.375"
391	$22" \times 22\frac{3}{8}"$	21.955" x 22.375"
392	$23" \times 23\frac{3}{8}"$	22.940" x 23.360"
393	$24" \times 24\frac{3}{8}"$	23.940" x 24.360"
394	$25" \times 25\frac{3}{8}"$	24.940" x 25.360"
395	$26" \times 26\frac{3}{8}"$	25.940" x 26.360"
Width: $\frac{1}{4}$ " Fractional (0.275" Actual)		
404	$1\frac{7}{8}" \times 2\frac{3}{8}"$	1.850" x 2.400"
405	$2" \times 2\frac{1}{2}"$	1.975" x 2.525"
406	$2\frac{1}{8}" \times 2\frac{5}{8}"$	2.100" x 2.650"
407	$2\frac{1}{4}" \times 2\frac{3}{4}"$	2.225" x 2.775"
408	$2\frac{3}{8}" \times 2\frac{7}{8}"$	2.350" x 2.900"
409	$2\frac{1}{2}" \times 3"$	2.475" x 3.025"
410	$2\frac{5}{8}" \times 3\frac{1}{8}"$	2.600" x 3.150"
411	$2\frac{3}{4}" \times 3\frac{1}{4}"$	2.725" x 3.275"
412	$2\frac{7}{8}" \times 3\frac{3}{8}"$	2.850" x 3.400"
413	$3" \times 3\frac{1}{2}"$	2.975" x 3.525"
414	$3\frac{1}{8}" \times 3\frac{5}{8}"$	3.100" x 3.650"
415	$3\frac{1}{4}" \times 3\frac{3}{4}"$	3.225" x 3.775"
416	$3\frac{3}{8}" \times 3\frac{7}{8}"$	3.350" x 3.900"

AS568A Dash No.	Fractional Size, ID x OD	Actual Size, ID x OD
Width: $\frac{1}{4}$ " Fractional (0.275" Actual) (Cont.)		
417	$3\frac{1}{2}" \times 4"$	3.475" x 4.025"
418	$3\frac{5}{8}" \times 4\frac{1}{8}"$	3.600" x 4.150"
419	$3\frac{3}{4}" \times 4\frac{1}{4}"$	3.725" x 4.275"
420	$3\frac{7}{8}" \times 4\frac{3}{8}"$	3.850" x 4.400"
421	$4" \times 4\frac{1}{2}"$	3.975" x 4.525"
422	$4\frac{1}{8}" \times 4\frac{5}{8}"$	4.100" x 4.650"
423	$4\frac{1}{4}" \times 4\frac{3}{4}"$	4.225" x 4.775"
424	$4\frac{3}{8}" \times 4\frac{7}{8}"$	4.350" x 4.900"
425	$4\frac{1}{2}" \times 5"$	4.475" x 5.025"
426	$4\frac{5}{8}" \times 5\frac{1}{8}"$	4.600" x 5.150"
427	$4\frac{3}{4}" \times 5\frac{1}{4}"$	4.725" x 5.275"
428	$4\frac{7}{8}" \times 5\frac{3}{8}"$	4.850" x 5.400"
429	$5" \times 5\frac{1}{2}"$	4.975" x 5.525"
430	$5\frac{1}{8}" \times 5\frac{5}{8}"$	5.100" x 5.650"
431	$5\frac{1}{4}" \times 5\frac{3}{4}"$	5.225" x 5.775"
432	$5\frac{3}{8}" \times 5\frac{7}{8}"$	5.350" x 5.900"
433	$5\frac{1}{2}" \times 6"$	5.475" x 6.025"
434	$5\frac{5}{8}" \times 6\frac{1}{8}"$	5.600" x 6.150"
435	$5\frac{3}{4}" \times 6\frac{1}{4}"$	5.725" x 6.275"
436	$5\frac{7}{8}" \times 6\frac{3}{8}"$	5.850" x 6.400"
437	$6" \times 6\frac{1}{2}"$	5.975" x 6.525"
438	$6\frac{1}{4}" \times 6\frac{3}{4}"$	6.225" x 6.775"
439	$6\frac{1}{2}" \times 7"$	6.475" x 7.025"
440	$6\frac{3}{4}" \times 7\frac{1}{4}"$	6.725" x 7.275"
441	$7" \times 7\frac{1}{2}"$	6.975" x 7.525"
442	$7\frac{1}{4}" \times 7\frac{3}{4}"$	7.225" x 7.775"
443	$7\frac{1}{2}" \times 8"$	7.475" x 8.025"
444	$7\frac{3}{4}" \times 8\frac{1}{4}"$	7.725" x 8.275"
445	$8" \times 8\frac{1}{2}"$	7.975" x 8.525"
446	$8\frac{1}{2}" \times 9"$	8.475" x 9.025"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID × OD	Actual Size, ID × OD
Width: 1/4" Fractional (0.275" Actual) (Cont.)		
447	9" × 9 1/2"	8.975" × 9.525"
448	9 1/2" × 10"	9.475" × 10.025"
449	10" × 10 1/2"	9.975" × 10.525"
450	10 1/2" × 11"	10.475" × 11.025"
451	11" × 11 1/2"	10.975" × 11.525"
452	11 1/2" × 12"	11.475" × 12.025"
453	12" × 12 1/2"	11.975" × 12.525"
454	12 1/2" × 13"	12.475" × 13.025"
455	13" × 13 1/2"	12.975" × 13.525"
456	13 1/2" × 14"	13.475" × 14.025"
457	14" × 14 1/2"	13.975" × 14.525"
458	14 1/2" × 15"	14.475" × 15.025"
459	15" × 15 1/2"	14.975" × 15.525"
460	15 1/2" × 16"	15.475" × 16.025"
461	16" × 16 1/2"	15.955" × 16.505"
462	16 1/2" × 17"	16.455" × 17.005"
463	17" × 17 1/2"	16.955" × 17.505"
464	17 1/2" × 18"	17.455" × 18.005"
465	18" × 18 1/2"	17.955" × 18.505"
466	18 1/2" × 19"	18.455" × 19.005"
467	19" × 19 1/2"	18.955" × 19.505"
468	19 1/2" × 20"	19.455" × 20.005"
469	20" × 20 1/2"	19.955" × 20.505"
470	21" × 21 1/2"	20.955" × 21.505"
471	22" × 22 1/2"	21.955" × 22.505"
472	23" × 23 1/2"	22.940" × 23.490"
473	24" × 24 1/2"	23.940" × 24.490"
474	25" × 25 1/2"	24.940" × 25.490"
475	26" × 26 1/2"	25.940" × 26.490"

AS568A Dash No.	Fits Tube Size OD	Actual Size, ID × OD
For Straight Thread Tube Fittings		
0.056" Wide		
901	3/32"	0.185" × 0.297"
0.064" Wide		
902	1/8"	0.239" × 0.367"
903	3/16"	0.301" × 0.429"
0.072" Wide		
904	1/4"	0.351" × 0.495"
905	5/16"	0.414" × 0.558"
0.078" Wide		
906	3/8"	0.468" × 0.624"
0.082" Wide		
907	7/16"	0.530" × 0.694"
0.087" Wide		
908	1/2"	0.644" × 0.818"
0.097" Wide		
909	9/16"	0.706" × 0.900"
910	5/8"	0.755" × 0.949"
0.116" Wide		
911	11/16"	0.863" × 1.095"
912	3/4"	0.924" × 1.156"
913	13/16"	0.986" × 1.218"
914	7/8"	1.047" × 1.279"
916	1"	1.171" × 1.403"
918	1 1/8"	1.355" × 1.587"
0.118" Wide		
920	1 1/4"	1.475" × 1.711"
924	1 1/2"	1.720" × 1.956"
928	1 3/4"	2.090" × 2.326"
932	2"	2.337" × 2.573"